

Subject Index

Volume 52

- Absorptiometry, dual-photon
 appendicular skeletal muscle mass, 214
 multicompartiment body composition models, 52
 skeletal effects of anorexia, 438
- Adipocytes, plasma membrane
 fatty acid composition and high-density-lipoprotein binding, dietary
 lipid saturation and (rat), 110
 high-density lipoprotein-cholesterol-ester uptake, dietary polyunsaturated fatty acids and (rat), 289
- Adipose tissue, fatty acid and vitamin E composition, diet and sampling site and, 486
- Adolescence
 cardiomyopathy associated with selenium deficiency, 572
 dietary intake during, prostate cancer risk and, 752
 peak bone mass formation in adolescent females, calcium balance and heredity and, 878
 pregnancy, weight gain velocity, pregravid weight-for-height, and infant birth weight, 793
 reported energy intake data in obese/nonobese adolescents, validity of, 421
- African American population, low-income, maternal weight gain during pregnancy, 938
- Age/aging. *See also* Geriatric population
 nutrition status and brain function in, 93
 peripheral insulin sensitivity and, high-carbohydrate, high-fiber diet and, 524
 selenium intake and selenium status and, 858
 serum vitamin A levels and, children aged 4–11 y, 353
 urinary polyamine excretion and, 746
- Albumin, plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
- Alcohol ingestion
 eating patterns and, 246
 smokers, nonsmokers, and exsmokers, 933
- Amino acids. *See also specific amino acids*
 branched-chain
 appetite-suppressing effect of high-protein diet and (monkey), 320
 energy content, 770
 energy content of dietary amino acid mixtures, 770
 in peridialytic parenteral nutrition regimen, for malnourished hemodialysis patient, 726
 plasma/brain concentrations, dietary BCKA excess and (rat), 313
 sulfur-containing, serum levels, in trauma patient, 657
 α -Amino nitrogen, response to glucose ingested with various amounts of protein, 267
- Anemia
 iron-deficiency, thermoregulation and thyroid function in, 813
 iron deficiency and, in 9–24 mo urban Argentine children, 534
- Animal studies, vitamin A toxicity, 183
- Anorexia nervosa, skeletal and body composition effects, 438
- Anthropometry
 applicability of generalized skinfold equations and differences in fat patterning between blacks and whites, 45
 evaluation of children with chronic liver disease, 203
 heights and weights of Navajo Indian schoolchildren, 960
 recumbent knee height in elderly people, calipers for measurement of, 397

Subject Index

Volume 52

- Absorptiometry, dual-photon
 appendicular skeletal muscle mass, 214
 multicompartiment body composition models, 52
 skeletal effects of anorexia, 438
- Adipocytes, plasma membrane
 fatty acid composition and high-density-lipoprotein binding, dietary
 lipid saturation and (rat), 110
 high-density lipoprotein-cholesterol-ester uptake, dietary polyunsaturated fatty acids and (rat), 289
- Adipose tissue, fatty acid and vitamin E composition, diet and sampling site and, 486
- Adolescence
 cardiomyopathy associated with selenium deficiency, 572
 dietary intake during, prostate cancer risk and, 752
 peak bone mass formation in adolescent females, calcium balance and heredity and, 878
 pregnancy, weight gain velocity, pregravid weight-for-height, and infant birth weight, 793
 reported energy intake data in obese/nonobese adolescents, validity of, 421
- African American population, low-income, maternal weight gain during pregnancy, 938
- Age/aging. *See also* Geriatric population
 nutrition status and brain function in, 93
 peripheral insulin sensitivity and, high-carbohydrate, high-fiber diet and, 524
 selenium intake and selenium status and, 858
 serum vitamin A levels and, children aged 4–11 y, 353
 urinary polyamine excretion and, 746
- Albumin, plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
- Alcohol ingestion
 eating patterns and, 246
 smokers, nonsmokers, and exsmokers, 933
- Amino acids. *See also specific amino acids*
 branched-chain
 appetite-suppressing effect of high-protein diet and (monkey), 320
 energy content, 770
 energy content of dietary amino acid mixtures, 770
 in peridialytic parenteral nutrition regimen, for malnourished hemodialysis patient, 726
 plasma/brain concentrations, dietary BCKA excess and (rat), 313
 sulfur-containing, serum levels, in trauma patient, 657
 α -Amino nitrogen, response to glucose ingested with various amounts of protein, 267
- Anemia
 iron-deficiency, thermoregulation and thyroid function in, 813
 iron deficiency and, in 9–24 mo urban Argentine children, 534
- Animal studies, vitamin A toxicity, 183
- Anorexia nervosa, skeletal and body composition effects, 438
- Anthropometry
 applicability of generalized skinfold equations and differences in fat patterning between blacks and whites, 45
 evaluation of children with chronic liver disease, 203
 heights and weights of Navajo Indian schoolchildren, 960
 recumbent knee height in elderly people, calipers for measurement of, 397

- rheumatoid arthritis patients on high-dose corticosteroids, 1113
- surface, estimation of upper-arm muscularity, 591
- Apolipoproteins
 - fish-oil supplementation and, 1118
 - plasma, in hypercholesterolemia, effects of three cereal brans on, 661
 - serum
 - diet and (*letter*), 765
 - in men, fish-oil feeding and, 477
- Appetite
 - exercise and, in obese and nonobese women, 240
 - regulation, high-protein diet and (monkey), 320
- Ascorbic acid, metabolism, iron loading and (guinea pig), 529
- Asian-Americans, non-insulin-dependent diabetes mellitus in second-generation Japanese-American men, 731
- Aspartame, metabolic disposition, sucrose and, 335
- Atherogenesis, dietary n-3 polyunsaturated fatty acids and, 1
- Atherosclerosis, dietary n-3 polyunsaturated fatty acids and, 1
- BCKA. *See* Branched-chain α -keto acids
- Bed rest, protein synthesis and, effect of dietary protein, 509
- Behavior change, weight loss in obesity and, 800
- Bifidobacterium bifidum*, ingestion via fermented dairy product, effect on metabolic activities of colonic flora, 685
- Biliary cirrhosis, primary, psychomotor dysfunction in, vitamin E deficiency and, 383
- Bioelectrical impedance analysis (BIA)
 - in adult cystic fibrosis, 209
 - measurement of body composition change in obesity, 219
 - two-electrode estimation of fat-free mass, 581
- Biopsy, adipose tissue, dietary fatty acid and vitamin E intake, 486
- Biotin, intestinal transport, ethanol and (rat), 1083
- Birth defects, vitamin A supplementation during pregnancy and, 183
- Bleeding time, fish-oil supplementation and, 120
- Blood glucose
 - fructans and, 675
 - postprandial, in non-insulin-dependent diabetic, effect of water volume and consumption time, 515
 - in postprandial hypoglycemic syndrome, cornstarch ingestion and, 667
- Blood pressure
 - calcium and vitamin D supplementation and, 717
 - fish-oil supplementation and, 120, 300
 - in hypercholesterolemia, effects of three cereal brans on, 661
- Body composition
 - anorexia nervosa and, 438
 - appendicular skeletal muscle mass, measurement by dual-photon absorptiometry, 214
 - applicability of generalized skinfold equations and differences in fat patterning between blacks and whites, 45
 - body mass indices, reassessment of, 405
 - changes in weight loss, bioelectrical impedance analysis, 219
 - estimation of, in adult cystic fibrosis patients, 209
 - evaluation of two four-compartment models, 52
 - fat-free mass. *See* Fat-free mass
 - growth hormone injection and, in obese diet-restricted women, 431
 - height-normalized indices of body fat-free mass and fat mass, 953
 - overfeeding and, 602
 - prediction of 24-h energy expenditure, 777
 - relation to diet composition, energy intake and exercise in adults, 426
 - in teen-agers, TOBEC assessment, 586
 - upper-arm muscularity, surface anthropometry, 591
- Body fat
 - induced weight gain and, in obese vs nonobese subjects, 224
 - mass
 - height-normalized indices of, 953
 - index, 953
 - patterning, in black vs white subjects, 45
 - percent derived from skinfold thickness measurements (*letter*), 578
 - regional distribution, metabolic characteristics, morbidity and mortality and, 946
 - relation to diet composition, energy intake and exercise in adults, 426
 - storage, adaptive changes in energy expenditure during refeeding after low-calorie intake (rat), 415
- Body mass, lean
 - prediction of 24-h energy expenditure from, 777
 - in rheumatoid arthritis, high-dose corticosteroids and, 1113
- Body mass index, reassessment of, 405
- Body water, total
 - in teen-agers, assessment, 586
- Body weight
 - pregnancy, pregnancy outcome and, 273
 - self-reported, accuracy and reliability, 1125
 - urinary polyamine excretion and, 746
- Bone
 - mineral content
 - anorexia and, 438
 - in teen-agers, assessment, 586
 - mineral density
 - anorexia and, 438
 - mother-daughter pairs, 872
 - mineral metabolism, in elderly people, vitamin D supplementation and, 701
- Bone mass
 - diet and, mother-daughter pairs, 872
 - inheritance of, in adolescent females, 878
 - peak, calcium and, 878
- Book reviews, Anthropometric Standards for the Assessment of Growth and Nutritional Status, AR Frisancho, 951
- Brain
 - amino acid concentrations, dietary BCKA excess and (rat), 313
 - function, in aging population, nutritional status and, 93
- Branched-chain α -keto acid dehydrogenase, in liver and muscle, dietary BCKA excess and (rat), 313
- Branched-chain α -keto acids, dietary excess, plasma/brain amino acid concentrations, plasma BCKA, and liver and muscle branched-chain α -keto acid dehydrogenase activity and (rat), 313
- Breast cancer
 - dietary and plasma concentrations of carotenoids and vitamin A and, 909
 - dietary fat intake and, 903
 - female sex hormone response to, 808
- Breast-feeding
 - choice of, social and biomedical variables influencing, 451
 - food and nutrient intakes by Peruvian infants, 995
 - childhood infections and, 1005
- Bulimia, dietary restraint and, 81
- Caffeic acid. *See* Polyphenols
- Caffeine, moderate intake, effect on calcium economy of premenopausal women, 722
- Calcium
 - balance, peak bone mass formation in adolescent females and, 878

- content in milk, ratio to protein concentration, urinary calcium and hydroxyproline excretion and, 142
- dietary, bone mass and, 872
- intestinal secretion, small intestine resection and (rat), 867
- physiology, in premenopausal women, moderate caffeine intake and, 722
- supplementation
 - blood pressure effects, 717
 - urinary excretion, calcium-to-protein ratio in milk and, 142
- Caloric intake, effect on subsequent food choice and intake, 964
- Calorie restriction
 - growth hormone injection and, 431
 - in obese men, effect of iopanoic acid on thyroid hormone metabolism in, 263
- Calorimetry
 - energy expenditure in adult men, comparison with doubly labeled water and intake-balance methods, 66
 - indirect
 - energy content of diets of variable amino acid composition, 770
 - prediction of 24-h energy expenditure from body composition, 777
- Cancer epidemiology, diet patterns in, 739
- Carbohydrate
 - absorption from rice, hydrogen breath test, 342, 348
 - content of meal, effect on subsequent food choice and intake, 964
 - dietary
 - body fat and, 426
 - copper deficiency and (pig), 147
 - intake of second-generation Japanese-American men with/without non-insulin-dependent diabetes, 731
 - intensity of interval swim training and, 1058
 - medium-chain saturated fatty acid incorporation in human milk triglycerides and phospholipid subclasses, 326
- Carbohydrate tolerance, to high-fat meal, 442
- Carbon dioxide, production, energy expenditure in adult men and, 66
- Cardiomyopathy, selenium deficiency and, in adolescent, 572
- Cardiovascular system, response to overfeeding, 602
- Carnitine
 - role in utilization of dietary medium-chain triglycerides by term infants, 820
 - supplementation, of TPN, substrate utilization by low-birth-weight infants and, 889
- β -Carotene
 - high-dose, plasma carotenoid concentration after, 500
- Carotenoids
 - dietary, breast cancer and, 909
 - plasma
 - breast cancer and, 909
 - high-dose β -carotene and, 500
- Catecholamines, urinary, enteral feeding and, continuous postoperative feeding vs at-night-only feeding, 1107
- Celiac disease, zinc metabolism in, 379
- Cellular immunity. *See* Immunity, cell-mediated
- Chlorogenic acid. *See* Polyphenols
- Cholecystokinin, plasma, coffee ingestion and, 553
- Cholesterol
 - dietary, breast cancer risk and, 903
 - high-density-lipoprotein
 - adipocyte uptake, dietary polyunsaturated fatty acids and (rat), 289
 - exercise training and, in mildly obese women, 640
 - fish-oil supplementation and, 300
 - low-density lipoprotein, lowering via oat-bran cereal, 495
 - plasma, lean beef vs beef fat as risk factors, 491
 - serum
 - effects of soluble-fiber breakfast cereals, 1020
 - lowering via oat-bran cereal, 495
 - in men, fish-oil feeding and, 477
 - quantitative changes in dietary fat intake and, 470
 - skim milk from immunized cows and, 1014
 - very-low-density-lipoprotein, fish plus fish oil diet and, 825
- Chylomicrons, incorporation of medium-chain fatty acids into, 834
- Cigarette smoking
 - dietary habits and, 933
 - metabolic effects of nicotine after meal consumption, 228
 - selenium intake and selenium status and, 858
- Coffee ingestion
 - plasma cholecystokinin and gallbladder contraction and, 553
 - smokers, nonsmokers, and exsmokers, 933
- Colon, metabolic activities of flora, ingestion of fermented dairy products containing *Lactobacillus acidophilus* and *Bifidobacterium bifidum* and, 685
- Coping, in stress, weight-loss maintenance/relapse and, 800
- Copper deficiency, dietary carbohydrate and (pig), 147
- Cornstarch
 - for glycogen storage disease type III, 671
 - for postprandial hypoglycemic syndrome, 667
 - uncooked, for glycogen storage disease type I
 - effect on biochemical variables, 1043
 - growth and development and, 1051
- Coronary artery disease, dietary n-3 polyunsaturated fatty acids and, 1
- Corticosteroids, high-dose, in rheumatoid arthritis, persistent catabolic effects, 1113
- Cortisol, in postprandial hypoglycemic syndrome, cornstarch ingestion and, 667
- C-peptide
 - fructans and, 675
 - response to glucose ingested with various amounts of protein, 267
- Creatinine, urinary, urinary polyamine excretion and, 746
- Cretinism, combined iodine and selenium deficiency and, 1087
- Cysteine, plasma, in taurine-supplemented long-term TPN, 846
- Cystic fibrosis, adult, body composition estimation, 209
- Densitometry
 - body composition estimation in adult cystic fibrosis, 209
 - bone, in anorexia, 438
 - correlation of %body fat with body mass indices, 405
 - fat-free mass, 581
- Deuterium oxide dilution
 - body composition in adult cystic fibrosis, 209
 - fat patterning in black and white subjects, 45
- Dextrose, for glycogen storage disease type I
 - effect on biochemical variables, 1043
 - growth and development and, 1051
- Diabetes mellitus, non-insulin-dependent
 - glycemic and insulinemic responses in, effect of water volume and consumption time on, 515
 - insulin response and glycemic effects of meals in, 519
 - medium-chain triglyceride diet in, urinary organic acid excretion, 923
 - in second-generation Japanese-American men, 731
- Diarrhea, malnutrition and, in young urban Brazilian children, 391
- Dicarboxylic acids
 - medium-chain, urinary excretion, medium-chain fatty acid utilization by term infants, 820

- urinary excretion, medium-chain triglyceride diet in non-insulin-dependent diabetes and, 923
- Diet**
- adipose tissue fatty acid and vitamin E composition and, 486
 - bone mass and, mother-daughter pairs, 872
 - breast cancer and, 903, 909
 - cardiovascular disease and, erythrocyte fatty acids, plasma lipids and cardiovascular disease in China, 1027
 - cereal-based, iron bioavailability, effect of milk on, 373
 - composition of, body fat and, 426
 - disease and, 944
 - female sex hormone concentrations and, 808
 - food and nutrient intakes by Peruvian infants, 995
 - effect of childhood infections on, 1005
 - gallstones in middle-aged women and, 916
 - high-caloric foods, aggressive oral refeeding in hospitalized patients, 967
 - high-carbohydrate, high-fiber, peripheral insulin sensitivity and, 524
 - high-protein, appetite regulation and (monkey), 320
 - intensity of interval swim training and, 1058
 - lean beef vs beef fat as risk factor for elevated cholesterol, 491
 - low-calorie, adaptive changes in energy expenditure during refeeding following (rat), 415
 - in phenylketonuria, trace element nutrition status and, 159
 - prostate cancer risk and, 752
 - protein requirements, in prepubertal school-aged boys, 1037
 - of second-generation Japanese-American men with/without non-insulin-dependent diabetes, 731
 - serum lipids and apolipoproteins and (*letter*), 765
 - of smokers, nonsmokers, and exsmokers, 933
 - supplementation, in pregnancy, 987
 - supplementation with skim milk from immunized cows, serum cholesterol and, 1014
 - weight-reduction, effect on serum lipids and lipoproteins in mildly obese women, 640
- Dietary restraint, energy expenditure and, 81
- Diet patterns, in cancer epidemiology, 739
- 1,25-Dihydroxyvitamin D, serum, in elderly people, vitamin D supplementation and, 701
- Docosahexaenoic acid**
- in dietary n-3 polyunsaturated fatty acids, cardiovascular disease and, 1
 - lipoprotein response to, 632
 - supplementation, dose-response effect in healthy volunteers, 120
- Doubly labeled water method**
- energy expenditure analysis, two-point vs multipoint sample collection, 1134
 - energy expenditure in adult men, comparison with direct- and indirect-calorimetry and intake-balance methods, 66
 - energy expenditure in healthy young women, 81
 - free-living energy expenditure, 59
 - total energy expenditure in obese/nonobese adolescents, reported metabolizable energy intake and, 421
- Dual-photon absorptiometry.** *See* Absorptiometry, dual-photon
- Eating behavior**
- alcohol effects, 246
 - fat/carbohydrate content of meal and subsequent food choice and intake, 964
 - in healthy young women, energy expenditure and, 81
 - high-protein diet and (monkey), 320
 - postoperative, gastroplasty and gastric-bypass patients, 87
- Education**
- biennial survey of nutrition training programs, 29
 - components of effective clinical-nutrition training, national survey of graduate medical education (residency) programs, 568
 - graduate medical education (residency) programs, nutrition training in, national survey, 568
 - implementing nutrition into medical curriculum, 401
- Eicosanoids, dietary n-3 polyunsaturated fatty acids and, 1**
- Eicosapentaenoic acid**
- dietary, plasma lipid profile of healthy men and, 825
 - in dietary n-3 polyunsaturated fatty acids, cardiovascular disease and, 1
 - lipoprotein response to, 632
 - supplementation, dose-response effect in healthy volunteers, 120
- Electroencephalography, neuropsychological function and nutrition status, in aging population, 93**
- Electroretinography, long-term TPN and visual function, 895**
- Endotoxin, physiologic response to, n-3 fatty acid-enriched TPN and (guinea pig), 548**
- Energy costs**
- of physical activity, throughout pregnancy, 234
 - of weight gain, in obese vs nonobese subjects, 224
- Energy expenditure**
- in acute and chronic renal failure, 596
 - adaptive changes during refeeding after low-calorie intake (rat), 415
 - doubly labeled water method, two-point vs multipoint sample collection, 1134
 - exercise and, in obese and nonobese women, 240
 - exercising, breast-feeding mothers, lactation performance and plasma hormone concentrations and, 103
 - free-living adults, measurement by doubly labeled water method and heart rate monitoring, 59
 - in healthy young women, 81
 - in hyperphagia, 784
 - measurement by doubly labeled water, intake-balance, and direct- and indirect-calorimetry methods, 66
 - in obese/nonobese adolescents, reported metabolizable energy intake and, 421
 - resting, high-protein and high-carbohydrate feeding and, 72
 - resting metabolic rate. *See* Metabolic rate, resting
 - 24-hour, prediction from body composition, 777
- Energy intake**
- body fat and, 426
 - in lactating women, 610
 - of Peruvian infants, childhood infections and, 1005
 - in renal failure, 596
 - reported daily metabolizable energy intake in obese/nonobese adolescents, validity of, 421
- Energy metabolism**
- in acute and chronic renal failure, 596
 - diets of variable amino acid composition, 770
 - in lactating and nonlactating women, 610
- Enteral feeding, metabolic effects, continuous postoperative feeding vs at-night-only feeding, 1107**
- Enzymes, fecal, ingestion of fermented dairy products containing *Lactobacillus acidophilus* and *Bifidobacterium bifidum* and, 685**
- Epidemiology**
- dietary carotenoids and vitamin A and breast cancer, 909
 - dietary fat and breast cancer risk, 903

- dietary predictors of gallstones in middle-aged women, 916
 patterns in food use and their associations with nutrient intakes, 739
 Epinephrine, in postprandial hypoglycemic syndrome, cornstarch ingestion and, 667
 Erratum, 180
 Erythrocyte(s)
 deformability, fish-oil supplementation and, 120, 1118
 fatty acid composition, cardiovascular disease in China and, 1027
 membrane eicosapentaenoic acid, fish plus fish oil diet and, 825
 taurine concentration, in taurine-supplemented long-term TPN, 846
 Ethanol, biotin intestinal transport and (rat), 1083
 Exercise
 acute effects on food intake in obese and nonobese women, 240
 body fat and, 426
 interval swim training, intensity of, dietary carbohydrate and, 1058
 lactation performance and, 103
 in obesity, effect on serum lipids and lipoproteins, 640
 weight-loss maintenance/relapse and, 800
 Fat cell. *See* Adipocytes
 Fat emulsions
 in peridialytic parenteral nutrition regimen, for malnourished hemodialysis patient, 726
 in TPN, effect on serum lipoprotein profile, 1094
 Fat-free mass
 height-normalized indices of, 953
 index, 953
 loss of, resting metabolic rate and, 981
 in teen-agers, TOBEC assessment, 586
 two-electrode impedance estimation, 581
 Fatness, maternal, pregnancy outcome and, 273
 Fats, dietary
 body fat and, 426
 content of meal, effect on subsequent food choice and intake, 964
 in evening meal, metabolic response to standard breakfast and, 442
 female sex hormone response to, breast cancer and, 808
 intake during adolescent and adult years, prostate cancer risk and, 752
 intake of second-generation Japanese-American men with/without non-insulin-dependent diabetes, 731
 plasma lipid profile of healthy men and, 825
 quantitative changes in, serum cholesterol and, 470
 trends in individual consumption, United States (1920-1984), 457
 Fatty acids
 adipose tissue composition, diet and sampling site and, 486
 dietary
 adipocyte uptake of high-density-lipoprotein-cholesterol esters and (rat), 289
 composition, effect on adipocyte-membrane phospholipid composition and high-density-lipoprotein binding (rat), 110
 erythrocyte, cardiovascular disease in China and, 1027
 medium-chain
 dietary, utilization by term infants, carnitine and, 820
 incorporation into chylomicron triglycerides, 834
 monounsaturated
 breast cancer risk and, 903
 cardiovascular disease in China and, 1027
 trends in individual consumption, United States (1920-1984), 457
 n-3 polyunsaturated
 amelioration of cardiovascular disease and, 1
 cardiovascular risk factors and, 300; 1118
 dose-response effects of supplementation in healthy volunteers, 120
 plasma lipid profile of healthy men and, 825
 serum lipids in men and, 477
 in short-term TPN, endotoxin-induced lactic acidosis and (guinea pig), 548
 phospholipid, in men, fish-oil feeding and, 477
 polyunsaturated
 adipocyte uptake of high-density-lipoprotein-cholesterol esters and (rat), 289
 breast cancer risk and, 903
 cardiovascular disease in China and, 1027
 effect on adipocyte-membrane phospholipid composition and high-density-lipoprotein binding (rat), 110
 trends in individual consumption, United States (1920-1984), 457
 saturated
 breast cancer risk and, 903
 medium-chain, incorporation in human milk triglycerides and phospholipid subclasses, dietary carbohydrate and, 326
 trends in individual consumption, United States (1920-1984), 457
 Fatty acids, free
 growth hormone injection and, in obese diet-restricted women, 431
 response to standard breakfast after high-fat evening meal, 442
 Fermentation
 cecal, dietary fiber and, 128
 Ferritin, serum, in obese menstruating women, 863
 Fiber, dietary
 cholesterol-lowering effect, in hypercholesterolemic men, 495
 effects of three cereal brans on plasma lipids, blood pressure and glucose metabolism in hypercholesterolemic men, 661
 nutritional and metabolic activity, 128
 postprandial lipemia and, gender and, 837
 soluble-fiber cereals, cholesterol-lowering effects, 1020
 Fibrinogen, plasma, fish-oil supplementation and, 300
 Fibronectin, intravenous therapy, in protein-calorie malnutrition, 651
 Fish oils. *See* Docosahexaenoic acid; Eicosapentaenoic acid; Fatty acids, n-3 polyunsaturated
 Flavin adenine dinucleotide (FAD), in human milk, 854
 Flavins, in human milk, 854
 Folate. *See* Folic acid
 Folic acid
 deficiency, in Hispanic American women, 368
 nutritional status, in Hispanic American women, 368
 status, influence on thiamin status in elderly Irish women, 1077
 Food Fights: *Deciding About Diet and Disease*, 944
 Food intake
 alcohol and nutrient intake, 246
 effect of fat/carbohydrate content of previous meal, 964
 exercise and, in obese and nonobese women, 240
 high-protein diet and (monkey), 320
 Fructans, intestinal transport, absorption, fermentation and influence on blood glucose, insulin and C-peptide responses, 675
 Fruit consumption, smokers, nonsmokers, and exsmokers, 933
Fusarium graminearum. *See* Mycoprotein
 Gallbladder, contraction, coffee ingestion and, 553
 Gallstones, in middle-aged women, dietary predictors, 916
 Gastric bypass, eating behavior after, 87
 Gastroplasty, eating behavior after, 87
 Gender
 dietary fiber and postprandial lipemia and, 837
 selenium intake and selenium status and, 858
 urinary polyamine excretion and, 746

- Genetics, bone mass, 872
- Geriatric population
- aggressive oral refeeding in hospitalized patients, 967
 - measurement of recumbent knee height in, calipers for, 397
 - nutritional status and immune function in, 927
 - nutrition status and brain function in, 93
 - thiamin status of elderly Irish women, influence of folate status and polyphenol intake, 1077
 - vitamin D supplementation in, 701
 - vitamin E supplementation and cell-mediated immunity in, 557
- Glucagon, response to glucose ingested with various amounts of protein, 267
- Glucose
- continuous infusion therapy, for glycogen storage disease type I, dextrose vs uncooked cornstarch, 1043
 - growth and development and, 1051
 - plasma, response to standard breakfast after high-fat evening meal, 442
 - renal tubular reabsorption, metabolism of intravenous maltose and, 689
 - serum, response to glucose ingested with various amounts of protein, 267
- Glucose tolerance, in hypercholesterolemia, effects of three cereal brans on, 661
- Glutamine, enrichment of parenteral solutions, safety of, 1101
- Glycemic index
- insulin response and glycemic effects of meals in non-insulin-dependent diabetics, 519
 - response to glucose ingested with various amounts of protein, 267
- Glycogen storage disease
- type I
 - continuous glucose therapy, dextrose vs uncooked cornstarch, 1043
 - growth and development in, dextrose vs uncooked cornstarch therapy, 1051
 - type III, cornstarch therapy in, 671
- Granulocytes, taurine concentration, in taurine-supplemented long-term TPN, 846
- Growth
- in hyperphagia, 784
- Growth and development
- in glycogen storage disease type I, dextrose vs uncooked cornstarch therapy, 1051
 - in glycogen storage disease type III, cornstarch therapy and, 671
 - low-birth-weight infants, supplemented/unsupplemented preterm human milk feeding and, 254
 - rice-carbohydrate malabsorbers, 348
 - urban Brazilian children, nutrition status, pneumonia, and diarrhea and, 391
- Growth hormone, anabolic effects, in obese diet-restricted women, 431
- Guar gum, postprandial lipemia and, gender and, 837
- Heart disease
- coronary artery. *See* Coronary artery disease
 - diet and, erythrocyte fatty acids, plasma lipids and cardiovascular disease in China, 1027
 - risk factors
 - cereal bran effects, 661
 - fish-oil supplementation and, 300, 1118
- Heart rate, monitoring, free-living energy expenditure, 59
- Heat production, energy expenditure in adult men and, 66
- Height, self-reported, accuracy and reliability, 1125
- Hemodialysis
- malnutrition in, insulin-like growth factor-I as marker for, 39
 - perdialytic parenteral nutrition with lipids and amino acids in, 726
- Heredity, bone mass
- in adolescent females, 878
 - mother-daughter pairs, 872
- Hispanic American population
- folate status of women, 368
 - low-income, maternal weight gain during pregnancy, 938
- Hormones, counterregulatory, in non-insulin-dependent diabetics, glycemic effects of meals, 519
- Hunger, exercise and, in obese and nonobese women, 240
- Hydrogen breath test
- carbohydrate absorption from rice, 342, 348
 - intestinal transit, absorption and fermentation of fructans, 675
 - lactose absorption and consumption in Curaçao schoolchildren, 682
- Hydroxyethylflavin, in human milk, 854
- Hydroxymethylflavin, in human milk, 854
- Hydroxyproline, urinary excretion, calcium-to-protein ratio in milk and, 142
- 25-Hydroxyvitamin D, serum, in elderly people, vitamin D supplementation and, 701
- Hypercholesterolemia, cholesterol-lowering effect of skim milk from immunized cows, 1014
- Hyperlipidemia, fish-oil supplementation and, 1118
- Hyperphagia, growth and thermogenesis in, 784
- Hypoglycemia, postprandial, cornstarch ingestion for, 667
- Immunity
- cell-mediated
 - in elderly population, nutritional status and, 927
 - in healthy elderly population, vitamin E supplementation and, 557
 - zinc deficiency and (rat), 166, 173
- Immunoglobulins
- bovine, 1014
- Infant(s)
- birth weight
 - maternal weight gain and, 938
 - maternal weight gain velocity and pregravid weight-for-height and, 793
 - food and nutrient intake in Lima, Peru, 995
 - effects of childhood infections on, 1005
 - low-birth-weight
 - carnitine-supplemented TPN in, effect on substrate utilization, 889
 - growth, nutrient retention, and metabolic response after supplemented/unsupplemented preterm human milk feeding, 254
 - methylmalonic aciduria in infants of vegetarian women with low milk and serum vitamin B-12, 1073
 - nutrition, choice of feeding method, social and biomedical variables influencing, 451
 - utilization of dietary medium-chain triglycerides, carnitine and, 820
- Infant, newborn, mortality, maternal body weight and, 273
- Infections, energy intakes from breast milk and other foods and, in Peruvian infants, 1005
- Insulin
- fructans and, 675
 - plasma
 - in non-insulin-dependent diabetics, glycemic effects of meals and, 519
 - response to standard breakfast after high-fat evening meal, 442

- in postprandial hypoglycemic syndrome, cornstarch ingestion and, 667
- sensitivity, peripheral, effect of high-carbohydrate, high-fiber diet on, 524
- serum
- postprandial, in non-insulin-dependent diabetic, effect of water volume and consumption time, 515
 - response to glucose ingested with various amounts of protein, 267
 - supplementation, during TPN (*letter*), 578
- Insulin-like growth factor-I (IGF-I)
- growth hormone injection and, in obese diet-restricted women, 431
 - marker for undernutrition in hemodialysis patients, 39
- Intake balance method, energy expenditure in adult men, comparison with direct- and indirect-calorimetry and doubly labeled water methods, 66
- Interleukin 2
- activity, in elderly population, nutritional status and, 927
- intestine, small, resection, absorption and secretion of divalent cations and (rat), 867
- Intestines
- biotin transport, ethanol and (rat), 1083
 - fructans transport, absorption and fermentation, 675
- Iodine, deficiency, combined with selenium deficiency, cretinism and, 1087
- Iopanoic acid, effect on thyroid hormone metabolism in obese men during calorie restriction, 263
- Iron
- absorption
 - from cereal-based diet, effect of milk on, 373
 - bioavailability, from cereal-based diet, effect of milk on, 373
 - milk, maternal dietary iron during pregnancy and lactation and (rat), 446
 - status
 - biochemical indicators, intraindividual variance, 541
 - in obese menstruating women, 863
 - storage, excessive, ascorbic acid metabolism and (guinea pig), 529
- Iron deficiency
- in 9-24 mo urban Argentine children, 534
 - thermoregulation and thyroid function in, 813
- α -Keto acids, branched-chain. *See* Branched-chain α -keto acids
- Kidney, tubules, maltose metabolism, 689
- Kidney failure, energy metabolism in, 596
- Knee height, recumbent, in elderly people, calipers for measurement of, 397
- Kwashiorkor. *See* Malnutrition, protein-calorie
- Lactation
- basal and postprandial metabolic rates in, 610
 - concurrent with pregnancy
 - maternal and fetal responses to stress of, 280
 - maternal nutritional consequences, 616
 - dietary iron during, mammary gland transferrin receptor response to (rat), 446
 - exercise and, 103
 - physical activity during, energy costs of, 234
 - pyridoxine and zinc supplementation during, nutrition status and breast-milk concentrations, 135
 - selenium utilization during, stable isotope studies, 621
- Lactobacillus acidophilus*, ingestion via fermented dairy product, effect on metabolic activities of colonic flora, 685
- Lactose, consumption, in Curaçao schoolchildren, 682
- Lactose malabsorption, in Curaçao schoolchildren, 682
- Letters to the editor, 178, 578, 765
- Leucine, kinetics, bed rest and, 509
- Leukocyte(s), function, fish-oil supplementation and, 120
- Leukotrienes, dietary n-3 polyunsaturated fatty acids and, 1
- Lipemia, postprandial, dietary fiber and gender and, 837
- Lipid(s)
- plasma
 - cardiovascular disease in China and, 1027
 - effect of mycoprotein on, 646
 - serum
 - diet and (*letter*), 765
 - fish-oil supplementation and, 1118
 - in obesity, reducing diet and exercise and, 640
- Lipid emulsion
- long-chain triglyceride, metabolism and tissue distribution (rat), 502
 - medium-chain triglyceride, metabolism and tissue distribution (rat), 502
- Lipid infusion
- platelet responses to, 628
- Lipid profile
- fish-oil supplementation and, 120
 - fish plus fish-oil diet and, 825
- Lipoprotein(s)
- effect of mycoprotein on, 646
 - high-density
 - adipocyte uptake, dietary polyunsaturated fatty acids and (rat), 289
 - binding of adipocyte plasma membrane, dietary lipid composition and (rat), 110
 - HDL2 activity, fish-oil supplementation and, 300
 - plasma
 - dietary n-3 polyunsaturated fatty acids and, 1
 - in hypercholesterolemia, effects of three cereal brans on, 661
 - response to fish oils with various ratios of eicosapentaenoic acid and docosahexaenoic acid, 632
 - serum
 - intravenous fat emulsions and, 1094
 - in obesity, reducing diet and exercise and, 640
- Lipoprotein X, during TPN, 1094
- Liver disease
- in children, anthropometric evaluation, 203
 - cholestatic, psychomotor dysfunction in, vitamin E deficiency and, 383
- Lymphocytes, taurine concentration, in taurine-supplemented long-term TPN, 846
- α -2-Macroglobulin, plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
- Magnesium, intestinal secretion, small intestine resection and (rat), 867
- Malabsorption, carbohydrate absorption from rice, 342
- Malnutrition
- carbohydrate absorption from rice, 342
 - in childhood liver disease, anthropometric evaluation, 203
 - diarrhea and, in young urban Brazilian children, 391
 - food and nutrient intakes by Peruvian infants, 995
 - childhood infections and, 1005
 - in hemodialysis patient, insulin-like growth factor-I as marker for, 39
 - in hospitalized elderly patients, aggressive oral refeeding for, 967
 - immunodeficiency in, zinc deficiency and (rat), 166, 173

- mild-to-moderate, functional significance (*letter*), 178
- pneumonia and, in young urban Brazilian children, 391
- protein-calorie, fibronectin therapy in, 651
- in renal failure, 596
- rice-carbohydrate malabsorbers, 348
- Maltose, intravenous, metabolism in renal tubules, 689
- Mammary gland, transferrin receptors, response to dietary iron during pregnancy and lactation (rat), 446
- Marasmus. *See* Malnutrition, protein-calorie
- Meat consumption, smokers, nonsmokers, and exsmokers, 933
- Metabolic rate
 - after meal consumption, nicotine and, 228
 - basal, in lactating and nonlactating women, 610
 - in hyperphagia, 784
 - postprandial, in lactating and nonlactating women, 610
 - resting
 - weight cycling and, 409
 - weight loss and, 981
- Metabolism
 - aspartame, sucrose and, 335
 - in low-birth-weight infants, supplemented/unsupplemented preterm human milk feeding and, 254
 - medium-chain and long-chain triglyceride lipid emulsions (rat), 502
 - in overfeeding, 602
- Methionine, plasma, in taurine-supplemented long-term TPN, 846
- Methylmalonic aciduria, in infants of vegetarian mothers with low milk and serum vitamin B-12, 1073
- Milk
 - cow's
 - calcium-to-protein ratio, urinary calcium and hydroxyproline excretion and, 142
 - cholesterol-lowering effect of skim milk from immunized cows, 1014
 - effect on iron bioavailability from cereal-based diet, 373
 - human
 - flavin composition, 854
 - preterm, supplemented vs unsupplemented, growth, nutrient retention and metabolic response of low-birth-weight infants and, 254
 - triglycerides and phospholipid subclasses, medium-chain saturated fatty acid incorporation in, dietary carbohydrate and, 326
 - vitamin B-6 and zinc concentrations, interaction of pyridoxine and zinc supplementation and, 135
 - vitamin B-12 concentration, methylmalonic aciduria in offspring and, 1073
 - volume and composition, exercise and, 103
 - iron, maternal dietary iron during pregnancy and lactation and (rat), 446
- Muscle
 - skeletal. *See* Skeletal muscle
 - upper-arm area, surface anthropometry, 591
- Mycoprotein, effect on blood lipids, 646
- National Health and Nutrition Examination Survey II
 - dietary vitamin B-6 intake and food sources in US population, 707
 - self-reported weight and height, 1125
- Natural killer cells
 - cytotoxicity, in elderly population, nutritional status and, 927
- Nematode infection, in zinc deficiency (rat), 166, 173
- Neuropsychologic impairment, in primary biliary cirrhosis, vitamin E deficiency and, 383
- Neutron-activation analysis, multicompartiment body composition models, 52
- Nicotine, metabolic effects after meal consumption, 228
- Nitrogen balance
 - enteral feeding and, continuous postoperative feeding vs at-night-only feeding, 1107
 - growth hormone injection and, in obese diet-restricted women, 431
 - high-dose corticosteroids and, in rheumatoid arthritis, 1113
- Nutrients
 - absorption of, dietary fiber and, 128
 - intake of, by Peruvian infants, 995
 - effect of childhood infections on, 1005
 - retention of, in low-birth-weight infants, supplemented/unsupplemented preterm human milk feeding and, 254
- Nutrition. *See also* Diet
 - care of terminally ill patients, 767
 - dietary fats, trends in individual consumption, United States (1920-1984), 457
 - enteral. *See* Enteral nutrition
 - in lactating pregnant woman, 280, 616
 - parenteral. *See* Parenteral nutrition
 - vitamin E intakes and sources in United States, 361
- Nutritional assessment
 - childhood liver disease, 203
 - height-normalized indices of body fat-free mass and fat mass, 953
 - recumbent knee height in elderly people, calipers for measurement of, 397
 - rheumatoid arthritis patients on high-dose corticosteroids, 1113
 - vitamin A status in pediatric population, modified relative-dose-response assay, 1064
 - vitamin A status in preschool Indonesian children, modified relative-dose-response assay, 1068
- Nutrition status
 - carbohydrate absorption from rice, 342
 - cellular and regulatory immune function and, in elderly population, 927
 - in geriatric population, brain function and, 93
 - lactating women, interaction of pyridoxine and zinc supplementation in, 135
 - maternal depletion, 280, 616
 - of Navajo Indian schoolchildren, 960
- Nutrition surveys
 - biochemical evidence suggestive of suboptimal zinc and vitamin A status in Northeast Thai schoolchildren, 564
 - dietary vitamin B-6 intake and food sources in US population, 707
 - intraindividual variance in biochemical indicators of iron status, 541
 - pneumonia, diarrhea, and growth in the first 4 y of life, 391
 - who is breast feeding, social and biomedical variables influencing method of infant feeding, 451
- Oat bran
 - cholesterol-lowering effect, in hypercholesterolemic men, 495
 - postprandial lipemia and, gender and, 837
- Obesity
 - body composition changes in, bioelectrical impedance analysis in, 219
 - body mass indices in, reassessment of, 405
 - energy expenditure in obese adolescents, validity of reported energy intake data, 421
 - exercise in, effect on serum lipids and lipoproteins, 640
 - gastric surgery for, eating behavior after, 87
 - iron status and, in menstruating women, 863
 - low-calorie intake in, refeeding following, adaptive changes in energy expenditure during (rat), 415
 - in Navajo Indian schoolchildren, 960

- pregnancy outcome and, 273
 relation to diet composition, energy intake and exercise in adults, 426
 thyroid hormone metabolism, calorie restriction and iopanoic acid effects, 263
 weight gain in obese vs nonobese subjects, 224
 weight loss in
 change in resting metabolic rate and, 981
 maintenance and relapse after, behavioral aspects, 800
- Organic acids, urinary excretion, medium-chain triglyceride diet in non-insulin-dependent diabetes and, 923
- Osteoporosis
 anorexia and, 438
 nutritional and genetic factors, 878
 postmenopausal, genetics and, 872
- Overfeeding, cardiovascular and metabolic response to, 602
- Oxygen consumption
 enteral feeding and, continuous postoperative feeding vs at-night-only feeding, 1107
- Parenteral nutrition
 glutamine-enriched solutions, safety of, 1101
 lipid infusions, platelet responses to, 628
 peritoneal regimen, lipids and amino acids in, for malnourished hemodialysis patients, 726
- total
 carnitine supplementation, substrate utilization by low-birth-weight infants and, 889
 insulin supplementation during (*letter*), 578
 long-term
 taurine supplementation, effect on plasma, blood cell, and urine taurine concentrations, 846
 visual function and, 895
 selenium deficiency and, cardiomyopathy associated with, 572
 serum lipid profile, fat-emulsion phospholipids and, 1094
 in trauma patient, taurine deficiency and, 657
- total (TPN), n-3 polyunsaturated fatty acids in, endotoxin-induced lactic acidosis and (guinea pig), 548
- Pectin, in breakfast cereals, cholesterol-lowering effects, 1020
- Pediatric patient
 age and serum vitamin A levels, 353
 chronic liver disease, anthropometric evaluation, 203
 glycogen storage disease type I, growth and development in, dextrose vs uncooked cornstarch therapy, 1051
 glycogen storage disease type III, cornstarch therapy, 671
 heights and weights of Navajo Indian schoolchildren, 960
 iron deficiency, in 9-24 mo urban Argentine children, 534
 lactose absorption and consumption in Curaçao schoolchildren, 682
 pneumonia, diarrhea, and growth in the first 4 y of life, urban Brazilian children, 391
 protein-calorie malnutrition in, fibronectin therapy, 651
 protein requirements, in prepubertal school-aged boys, 1037
 rice-carbohydrate malabsorption, 348
 tolerance to two dosage strengths of vitamin A preparation, 694
 trace element nutrition status and dietary intake in phenylketonuria, 159
 vitamin A status, modified relative-dose-response assay, 1064
 preschool Indonesian children, 1068
 vitamin A/zinc status of Northeast Thai schoolchildren, 564
- Phenylalanine, plasma, aspartame and carbohydrate ingestion and, 335
- Phenylketonuria, trace element nutrition status and dietary intake in, 159
- Phospholipids, human milk, medium-chain saturated fatty acid incorporation in, dietary carbohydrate and, 326
- Physical activity. *See also* Exercise
 during pregnancy and first year postpartum, energy costs of, 234
- Plasma viscosity, fish-oil supplementation and, 1118
- Platelet(s)
 function, fish-oil supplementation and, 1118
 response to Intralipid infusions, 628
 taurine concentration, in taurine-supplemented long-term TPN, 846
- Platelet factor 4, plasma, lipid infusion and, 628
- Pneumonia, malnutrition and, in young urban Brazilian children, 391
- Point of view, nutrition and care of terminally ill patients, 767
- Polyamines, urinary excretion, 746
- Polyphenols, dietary intake, influence on thiamin status in elderly Irish women, 1077
- Population surveys
 prevalence of iron deficiency in 9-24 urban Argentine children, 534
 self-reported weight and height, 1125
- Prealbumin, plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
- Pregnancy
 adolescent, weight gain velocity, pregravid weight-for-height, and infant birth weight, 793
 in lactating woman
 maternal and fetal responses to stress in, 280
 maternal nutritional consequences, 616
 outcome, maternal body weight and, 273
 physical activity during, energy costs of, 234
 vitamin A toxicity, 183
 weight gain in
 energy supplementation and, 987
 in low-income black and Hispanic women, 938
- Prenatal care, low-income black and Hispanic women, 938
- Proline
 dietary deprivation, plasma proline kinetics and concentrations and, 307
 kinetics, dietary deprivation and, 307
- Prostacyclin, dietary n-3 polyunsaturated fatty acids and, 1
- Prostaglandin, immune cell production, vitamin E supplementation and, 557
- Prostate cancer, food consumption trends between adolescent and adult years and, 752
- Protein(s)
 content in milk, ratio to calcium concentration, urinary calcium and hydroxyproline excretion and, 142
 dietary
 appetite regulation and (monkey), 320
 effect on bed-rest-related changes in whole-body protein synthesis, 509
 intake of second-generation Japanese-American men with/without non-insulin-dependent diabetes, 731
 metabolic response to glucose ingestion with, 267
 plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
 requirements, in prepubertal school-aged boys, 1037
 synthesis
 high-protein and high-carbohydrate feeding and, 72
 whole-body, bed-rest-related changes, dietary protein effects, 509
- Protein turnover, whole-body, high-protein and high-carbohydrate feeding and, 72
- Psychomotor dysfunction, in primary biliary cirrhosis, vitamin E deficiency and, 383

- Psyllium, in breakfast cereals, cholesterol-lowering effects, 1020
 Pyridoxine, supplementation, in lactating women, nutrition status and breast-milk concentration and, 135
- Receptors, transferrin, mammary gland, maternal dietary iron during pregnancy and lactation and (rat), 446**
- Relative-dose-response, modified**
 vitamin A status in preschool Indonesian children, 1068
 vitamin A status in well-nourished American children, 1064
- Retina, long-term TPN effects, 895
- Retinol-binding protein, in Northeast Thai schoolchildren, 564
- Rheumatoid arthritis, high-dose corticosteroids in, persistent catabolic effects, 1113
- Riboflavin, in human milk, 854
- Rice, carbohydrate absorption from, 342
 growth in rice-carbohydrate malabsorbers, 348
- Selenite, utilization during lactation, 621
- Selenium**
 deficiency
 cardiomyopathy and, in adolescent, 572
 combined with iodine deficiency, cretinism and, 1087
 dietary intake, selenium status and, 858
 status, selenium intake and, 858
 utilization during lactation, stable isotope studies, 621
 utilization in humans, stable isotope studies, 155
 Selenomethionine, utilization during lactation, 621
- Serotonin, plasma, lipid infusion and, 628
- Sex hormones, female, response to dietary fat, breast cancer and, 808
- Siderosis, ascorbic acid metabolism in (guinea pig), 529
- Skeletal muscle, mass, appendicular, measurement by dual-photon absorptiometry, 214
- Skinfold thickness**
 body composition in adult cystic fibrosis, 209
 differences between black and white subjects, 45
 percent body fat derived from (*letter*), 578
 pregnant women, energy supplementation and, 987
- Smoking. *See* Cigarette smoking
- Social support, weight-loss maintenance/relapse and, 800
- Spina bifida. *See* Myelomeningocele
- Starch, absorption of, fructans and, 675
- Sterols, metabolism, dietary fiber and, 128
- Stools**
 frequency of, effects of three cereal brans on, 661
 weight, dietary fiber and, 128
- Stress**
 coping in, weight-loss maintenance/relapse and, 800
 reproductive energetic, maternal and fetal responses to lactation concurrent with pregnancy, 280, 616
- Strongyloides ratti* infection, zinc deficiency and (rat), 173
- Strontium, intestinal absorption, small intestine resection and (rat), 867
- Sucrose, metabolic disposition of aspartame and, 335
- Teen-agers, fat-free mass in, assessment of, 586
- Terminal illness, nutrition in, 767
- Thermic effect of food (TEF), protein turnover and thermogenesis in response to high-protein and high-carbohydrate feeding, 72
- Thermogenesis**
 in hyperphagia, 784
 overfeeding and, 602
- Thermoregulation, in iron deficiency, thyroid hormone metabolism and, 813
- Thiamin**
 status, in elderly Irish women, influence of folate status and polyphenol intake, 1077
- β -Thromboglobulin, plasma, lipid infusion and, 628
- Thromboxane, dietary n-3 polyunsaturated fatty acids and, 1
- Thyroid hormone metabolism**
 in iron deficiency, thermoregulation and, 813
 in obese men, calorie restriction and iopanoic acid effects, 263
- TOBEC (total-body electrical conductivity)
 body composition in adult cystic fibrosis, 209
 body composition in teen-agers, 586
- TPN. *See* Parenteral nutrition, total
- Trace elements, nutrition status, dietary intake and, in phenylketonuric children, 159
- Transferrin**
 mammary gland receptors, maternal dietary iron during pregnancy and lactation and (rat), 446
 plasma, in protein-calorie malnutrition, fibronectin treatment and, 651
- Transketolase activity, in brain and liver
- Trauma, serum taurine concentrations in critically injured patients, 657
- Triacylglycerol, plasma, fish plus fish oil diet and, 825
- Trichinella spiralis* infection, in zinc deficiency (rat), 166
- Triglyceridemia, postprandial, dietary fiber and gender and, 837
- Triglycerides**
 human milk, medium-chain saturated fatty acid incorporation in, dietary carbohydrate and, 326
 long-chain, in lipid emulsion, metabolism and tissue distribution (rat), 502
 medium-chain
 dietary
 incorporation of medium-chain fatty acids into chylomicron triglycerides and, 834
 in non-insulin-dependent diabetes, urinary organic acid secretion, 923
 utilization by term infants, carnitine and, 820
 in lipid emulsion, metabolism and tissue distribution (rat), 502
 plasma, fish-oil supplementation and, 300
 serum, in men, fish-oil feeding and, 477
- Two-reservoir energy model, growth, thermogenesis, and hyperphagia, 784
- Urinary excretion**
 catecholamines, enteral feeding and, continuous postoperative feeding vs at-night-only feeding, 1107
 creatinine, urinary polyamines and, 746
 maltose and glucose, 689
 medium-chain dicarboxylic acids, medium-chain fatty acid utilization by term infants, 820
 organic acids, medium-chain triglyceride diet in non-insulin-dependent diabetes and, 923
 polyamines, 746
 taurine, in taurine-supplemented long-term TPN, 846
- Tannic acid. *See* Polyphenols**
- Taurine**
 plasma, intra- and interindividual variation, 758
 supplementation, in long-term TPN, effect on plasma, blood cell, and urine taurine concentrations, 846
 in trauma patient, 657
 whole-blood, intra- and interindividual variation, 758

- Vegetable consumption, smokers, nonsmokers, and exsmokers, 933
- Visual function, long-term TPN and, 895
- Vitamin A
- dietary, breast cancer and, 909
 - plasma, breast cancer and, 909
 - serum levels, in children, age and, 353
 - side effects, 694
 - status
 - in Northeast Thai schoolchildren, 564
 - in pediatric population, modified relative-dose-response assay, 1064
 - in preschool Indonesian children, modified relative-dose-response assay, 1068
 - supplementation, tolerance of preschoolers to two dosage strengths, 694
 - toxicity, 694
 - evaluation of, 183
- Vitamin B-6. *See also* Pyridoxine
- dietary intake and food sources in US population, 707
- Vitamin B-12, milk and serum concentrations in vegetarian women, 1073
- Vitamin C. *See* Ascorbic acid
- Vitamin D, supplementation
- blood pressure effects, 717
 - in elderly people, 701
- Vitamin E
- adipose tissue composition, diet and sampling site and, 486
 - deficiency, psychomotor dysfunction in primary biliary cirrhosis and, 383
 - intakes and sources, in United States, 361
 - supplementation, cell-mediated immunity in healthy elderly population and, 557
- Water ingestion, volume and consumption time, glycemic and insulinemic responses in non-insulin-dependent diabetics and, 515
- Weight cycling, effect on resting metabolic rate, 409
- Weight gain
- in obese vs nonobese subjects, 224
 - in pregnancy
 - energy supplementation and, 987
 - in low-income black and Hispanic women, 938
 - refeeding following low-calorie intake, adaptive changes in energy expenditure and (rat), 415
 - velocity, in adolescent pregnancy, relation to pregravid weight-for-height and infant birth weight, 793
- Weight-height indices, in obesity, reassessment of, 405
- Weight loss
- body composition changes in, bioelectrical impedance analysis, 219
 - maintenance of, behavioral aspects, 800
 - resting metabolic rate and, 981
 - upper-arm muscularity and, surface anthropometry, 591
- X-ray studies, upper-arm muscularity, 591
- Zinc
- metabolism, in celiac disease, 379
 - status, in Northeast Thai schoolchildren, 564
 - supplementation, in lactating women, nutrition status and breast-milk concentration and, 135
- Zinc deficiency
- Strongyloides ratti* expulsion and (rat), 173
 - Trichinella spiralis* expulsion and (rat), 166

Author Index

Volume 52

- Adiotomre J, 128
 Aggett PJ, 166, 173, 379
 Alakuijala LA, 746
 Albanes D, 903
 Aliaga IL, 867
 Aliprantis A, 52
 Allen L, 1073
 Alpert SS, 784
 Alsbaugh M, 219
 Ament ME, 846, 895
 Ances IG, 793
 Anderson JW, 495, 524
 Anderson PA, 477
 Andronis PT, 219
 Angel A, 110, 289
 Apfelbaum M, 581, 863
 Aromaa A, 903
 Arria AM, 383
 Astrup A, 777
 Aulet M, 214
- Bagherzadeh A, 1083
 Balistreri WF, 671
 Bandini LG, 421
 Barden HS, 438
 Barger-Lux MJ, 722
 Barker ME, 59
 Barklund MP, 557
 Barrera GA, 1037
 Barrett JE, 159
 Barros FC, 391
 Bartels RL, 1058
 Baumgartner RN, 52, 397
 Beard JL, 813
 Beaton M, 470
 Bebe N, 1087
 Behnke O, 628
 Beigel Y, 1118
 Bell EF, 335
 Bell LP, 1020
 Belsky DH, 793
 Benfell K, 1101
 Bennett FC, 808
 Bensen B, 214
 Bilo HJG, 120
 Bistran BR, 548
 Bjerkedal T, 300
 Black A, 1073
 Black RE, 995, 1005
 Blackburn GL, 548
 Block G, 361, 707
 Block KP, 313
 Blonk MC, 120
 Blumberg JB, 557
 Bode S, 675
 Boersma ER, 326
- Boileau RA, 953
 Boker JR, 568
 Bolin TD, 342, 348
 Borel MJ, 813
 Bouchard C, 946
 Boulier A, 581
 Boyd NF, 470
 Brass EP, 923
 Brasure J, 739
 Bray GA, 946
 Bregengard C, 628
 Brolin RE, 87
 Brooks CM, 29, 401, 568
 Brown AJ, 825
 Brown CB, 39
 Brown CC, 858
 Brown DL, 209
 Brown EM, 967
 Brown KH, 995, 1005
 Brown ML, 944
 Brummel MC, 335
 Brunt PW, 379
 Brussaard JH, 142
 Bruvold W, 800
 Bryant CA, 495
 Brydon WG, 128
 Bucuvalas JC, 671
 Budowski P, 1118
 Burt P, 981
 Buse MG, 313
 Button LN, 155
 Byers T, 909
- Calvo EB, 534
 Campbell IT, 1107
 Campbell TC, 909, 1027
 Cannon JG, 557
 Cano N, 726
 Casper K, 602
 Cassano P, 1027
 Caulfield JE, 529
 Ceesay SM, 59
 Cha T, 689
 Chalew SA, 667
 Chazouillères O, 1094
 Chestnut CH III, 878
 Childs MT, 632
 Chisholm K, 491
 Clemens TL, 701
 Clemmons DR, 431
 Clifford AJ, 1077
 Clifton PM, 661
 Cockram DB, 397
 Cody RP, 87
 Cohen C, 519
 Colditz GA, 916
- Collier GR, 442
 Collier JA, 405
 Contempré B, 1087
 Conway JM, 45, 66
 Corrigan D, 409
 Cotter R, 502
 Coudray-Lucas C, 726
 Cousins M, 470
 Coward WA, 59
 Crawford M, 1027
 Cremin FM, 1077
 Crigler JF Jr, 1043, 1051
 Crofton RW, 379
 Crowell PL, 313
 Cynober L, 726
 Cyr HN, 421
- Davidson AGF, 572
 Davis AT, 657
 Davis PA, 837
 Debrot KF, 682
 de Castro JM, 246
 Degenhart HJ, 889
 De Guia ED, 640
 DeLany JP, 477
 Dell RB, 254
 de Kanashiro HC, 995, 1005
 de Romana GL, 995, 1005
 Derr J, 813
 Desjeux J-F, 685
 Dewey KG, 103
 de With C, 987
 Dhanamitta S, 564
 di Costanzo-Dufetel J, 726
 Dietz WH, 421
 Diplock AT, 1087
 Dison PJ, 572
 Dizon GP, 640
 Donker AJM, 120
 Douglas BR, 553
 Druml W, 596
 Duale NL, 1087
 Dubey AK, 320
 Dulloo AG, 415
 Dumont J, 1087
 Duncombe VM, 342, 348
 Durbec J-P, 726
- Eastwood MA, 128
 Eckel RH, 923
 Edwards CA, 128
 Edwards GD, 646
 Edwards J, 401
 Eichinger S, 596
 El Nahas AM, 39
 Elias L, 368

- Eloranta TO, 746
 Epstein LH, 228

 Failla ML, 147
 Fairchild KS, 640
 Fanelli-Kuczmarski MT, 368
 Felber J-P, 1014
 Fenwick PK, 166, 173
 Ferenci P, 596
 Fernstrom MH, 228
 Ferrara J-M, 1014
 Filer LJ Jr, 335
 Fischman MW, 969
 Fisher KD, 951
 Flaten H, 300
 Florentino RF, 694
 Flores E, 548
 Flourie B, 685
 Foelsch PA, 240
 Foltin RW, 969
 Fong B, 110, 289
 Fontana D, 878
 Forbes GB, 224, 578
 Ford K, 451
 Forsyth M, 254
 Foxman SR, 895
 Fredell JE, 651
 French TK, 752
 Fricker J, 581, 863
 Fuchs J, 1118
 Fujimoto WY, 731
 Fukagawa NK, 524
 Fukuda M, 689
 Funk RC, 953

 Gannon MC, 267
 Garza C, 612
 Gattas V, 1037
 Ghadirian P, 927
 Gilbert TJ, 960
 Girardier L, 415
 Glynn MJ, 578
 Gnazzo N, 534
 Goel P, 878
 Golay A, 1014
 Goossens W, 1087
 Graham S, 739, 909
 Graninger W, 596
 Gray DS, 578
 Green P, 1118
 Greene HL, 834
 Gregersen S, 515
 Gremse DA, 671
 Grimm G, 596
 Grivetti LE, 1077
 Gudmand-Hoyer E, 675
 Gunter EW, 541
 Gvozdanovic D, 379
 Gvozdanovic S, 379

 Haas J, 280
 Haas JD, 616
 Hageman G, 524
 Haig JL, 640
 Hamberg O, 675
 Hamilton CC, 495
 Hannah JS, 320
 Hansen BC, 320
 Hanson AP, 651
 Harper AE, 313
 Hathcock JN, 183
 Hattan DG, 183
 Hautvast JGAJ, 234
 Hayes KC, 758, 916

 Heaney RP, 722
 Heck DG, 93
 Heckenlively JR, 895
 Hectorn KJ, 1020
 Hediger ML, 793
 Heird WC, 254
 Hermansen K, 515
 Heshka S, 981
 Heymsfield SB, 52, 214, 602, 953
 Hickey CA, 938
 Hickey RJ, 59
 Hill JO, 770, 834
 Himmelstein S, 701
 Hindberg I, 628
 Hirota M, 689
 Hirsch J, 263
 Hirschberg Y, 548
 Horowitz B, 651
 Horowitz JS, 651
 Hortobagyi T, 591
 Høstmark AT, 300
 Howe SM, 858
 Hubbard VS, 946
 Huber C, 166, 173
 Hunninghake DB, 1020
 Hyvönen L, 903

 Ikegami H, 689
 Ingram DM, 808
 Isaksson B, 777

 Jaccard C, 72
 Jackson AA, 72
 Jackson JR, 29
 Jacob RG, 228
 Jacob V, 39
 Jacobs DO, 1101
 Jaksic T, 307
 Jansen JBMJ, 553
 Jarnvig I-L, 628
 Järvinen R, 903
 Jenkins MY, 183
 Jennings LW, 938
 Jequier E, 72
 Johnson CL, 368, 541
 Johnson RC, 502
 Judd S, 1107
 Junshi C, 1027
 Junyao L, 1027

 Kamen Y, 52
 Kant AK, 707
 Kardjati S, 987
 Kari A, 746
 Karyadi D, 1068
 Kashyap S, 254
 Katch FI, 591
 Katzeff HL, 263
 Kayman S, 800
 Keim NL, 209
 Kelly TH, 969
 Kendrick ZV, 405
 Kenler HA, 87
 Kestin M, 661
 Keyes WR, 373
 Khin-Maung-U, 342, 348
 Kierulf P, 300
 King IB, 632
 Kinsella JE, 1
 Kirkwood BR, 391
 Kissileff HR, 240
 Klevay LM, 93
 Knekt P, 903
 Knerr AN, 405

 Knopp RH, 632
 Koellner PG, 1064
 Kopple JD, 846, 895
 Kowarski AA, 667
 Kretsch MJ, 373
 Kriukov V, 470
 Kunigk A, 219
 Kushner RF, 219, 401
 Kusin JA, 987

 Labastie-Coeyrehourq J, 726
 Labbok M, 451
 Lacombe P, 726
 Laessle RG, 81
 Lafeber HN, 889
 Laffel LMB, 1043
 Laggner AN, 596
 Laidlaw SA, 846, 895
 Lamb DR, 1058
 Lamers CBHW, 553
 Latham SL, 159
 Le Carpentier JE, 39
 Le Moel G, 863
 Leeds AR, 646
 Legrand A, 1094
 Leibel RL, 263
 Leibovici L, 1118
 Leitch CA, 219
 Lenz K, 596
 Leonetti DL, 731
 Levander OA, 858
 Lewis CJ, 353
 Lewis KC, 353
 Leyden H, 491
 Leyton J, 1027
 Lichtman S, 52, 214
 Lin L, 502
 Lind J, 777
 Lindeman AK, 426
 Lindsay R, 701
 Linklater JM, 342, 348
 Liu K, 541
 Liu S, 557
 Livingstone MBE, 59
 Lockitch G, 572
 Lockwood G, 470
 Lokesh B, 1
 Longnecker MP, 858
 Lonnerdal B, 103
 Lönnerdal B, 446
 Looker AC, 541
 Lopez T, 995
 Lovelady CA, 103
 Lowe DK, 1101
 Lozano R, 667
 Lurie Y, 1118
 Lutz J, 872
 Lystad E, 300

 Macdonald D, 166
 Macdonald DC, 173
 Macdonald IA, 1107
 Maclure KM, 916
 Mamet R, 1118
 Mangels AR, 621
 Marrinan A, 159
 Marshall JR, 739
 Marteau P, 685
 Martin DA, 895
 Martini IA, 326
 Martorell R, 280, 616
 Masse J, 765
 Massing B, 572
 Mathews-Roth MM, 500

- Matkovic V, 878
 Matthews DE, 602
 May ME, 770
 Mazess RB, 438
 McAdam PA, 858
 McCormick DB, 854
 McCulloch CE, 909
 McDonald JT, 183
 McDowell MA, 353
 McKenna PG, 59
 Melby CL, 409
 Meltzer S, 240
 Mendoza TS, 694
 Merchant K, 280, 616
 Merritt RJ, 29
 Messing B, 1094
 Meydani M, 557
 Meydani SN, 557
 Milch R, 909
 Miles CW, 66
 Miller DL, 867
 Miller RA, 557
 Miller WC, 426
 Milne DB, 93
 Minaker KL, 524
 Mock D, 1083
 Montandon CM, 612
 Morabia A, 933
 Moran TH, 969
 Morgan SL, 29
 Morrow F, 1073
 Morrow FD, 557
 Morton RP, 1107
 Moser-Veillon PB, 135, 621
 Moss R, 661
 Motil KJ, 612
 Mowat NAG, 379
 Muhilal, 1068
 Mulder C, 120
 Murawski B, 1101
 Murphy SP, 361
 Muskiet FAJ, 326
 Myo-Khin, 342, 348
- Naesh O, 628
 Naeye RL, 273
 Najjar MF, 368
 Natividad EP, 694
 Nauta JJP, 120
 Nawabi MD, 313
 Naylor V, 39
 Nelson SE, 820
 Nemoto T, 909
 Nestel PJ, 661
 Nevin GB, 59
 Newby MJ, 209
 Niederpruem M, 426
 Nieman DC, 640
 Noma Y, 689
 Ntambue K, 1087
 Nuttall FQ, 267
 Nyunt-Nyunt-Wai, 342, 348
- O'Dea K, 442, 491
 Oeltgen P, 495
 Ohlrich ES, 438
 Olson AK, 568
 Olson JA, 1064, 1068
 Orozco S, 246
 Orwoll ES, 717
 Osland A, 300
 Overvad K, 486
 Oviatt S, 717
- Owen OE, 405
 Owens AJ, 651
- Paauw JD, 657
 Panagides DD, 820
 Parker R, 909, 1027
 Parpia B, 1027
 Parrish C, 110
 Patterson CM, 159
 Patterson KY, 155, 621
 Payette H, 927
 Peek MEM, 234
 Pellier P, 685
 Penland JG, 93
 Pereira SP, 342, 348
 Perkins KA, 228
 Permaesih D, 1068
 Persaud C, 72
 Persoon TJ, 335
 Peters EJ, 509
 Peters JC, 834
 Peynet J, 1094
 Pfeiffer A, 1094
 Pierson RN Jr, 52, 214
 Pirke K-M, 81
 Pi-Sunyer FX, 240, 981
 Platte P, 81
 Plotkin RA, 1043
 Pochart P, 685
 Pomposelli JJ, 548
 Popp-Snijders C, 120
 Potischman N, 909
 Poupon J, 1094
 Powell-Tuck J, 578
 Poyhonen MJ, 746
 Prentice AM, 59
 Presta E, 263
 Pritchard JE, 825
 Przyrembel H, 889
 Pukkala E, 903
- Ramakrishnan R, 254
 Rambaud J-C, 685
 Ramos AC, 694
 Randall E, 739
 Rasmussen KM, 909
 Rasmussen O, 515
 Rebouche CJ, 820
 Redard CL, 837
 Register UD, 640
 Reilly C, 159
 Repa JJ, 313
 Reynolds H, 1020
 Reynolds RD, 135
 Riddell D, 572
 Rinehardt KF, 1058
 Riumallo JS, 1037
 Rivers JM, 529
 Roberts DCK, 825
 Robinson SM, 72
 Robison LM, 752
 Rocklin R, 557
 Rodriguez LM, 938
 Rojroongwasinkul N, 564
 Rola-Pleszczynski M, 927
 Rolls BJ, 969
 Rombeau J, 29
 Root M, 909
 Rotenberg Z, 1118
 Roubenoff R, 1113
 Roubenoff RA, 1113
 Roughead ZK, 854
 Rowe WB, 502
 Rowland ML, 1125
- Rubin A, 701
 Rudlin CR, 1051
 Rumessen JJ, 675
 Rumpier WV, 66
 Rutgers HM, 326
- Said HM, 1083
 Salmon RW, 793
 Salzano S, 39
 Sandberg LB, 651
 Sandstead HH, 93, 767
 Santos L, 685
 Sauer PJJ, 889
 Schäfer L, 486
 Schedl HP, 867
 Schlotzer E, 889
 Schmidt WD, 409
 Schneeman BO, 837
 Schneeweiss B, 596
 Schneider H, 1014
 Schoeller DA, 219, 421
 Schoenemann HM, 147
 Schoenfeld N, 1118
 Schofield WM, 987
 Scholl TO, 793
 Schonk CM, 234
 Schulze KF, 254
 Schumacher MC, 752
 Schutz Y, 72
 Seale JL, 66
 Segal K, 240
 Sempos CT, 353, 541
 Seppänen R, 903
 Sexton JE, 228
 Shah AG, 373
 Shamoon H, 519
 Shangraw RE, 509
 Shapiro L, 1107
 Sharifian A, 1083
 Sherman WM, 1058
 Shima K, 689
 Shizgal HM, 579
 Sigman M, 446
 Sinclair AJ, 491
 Slattery ML, 752
 Smalley KJ, 405
 Smidt LJ, 1077
 Smith JC Jr, 564
 Smith R, 214
 Smith RG, 373
 Smith RJ, 1101
 Smith SF, 495
 Snook JT, 477, 1058
 Snyder DK, 431
 Sokol RJ, 203
 Solberg R, 228
 Sommer A, 694
 Specker BL, 1073
 Spencer DB, 495
 Stall C, 203
 Stallings RY, 1005
 Stampfer MJ, 858, 916
 Steele NC, 147
 Stegink LD, 335
 Stegman MR, 722
 Stell PM, 1107
 Stephen AM, 457
 Stern JS, 800
 Stevens MB, 1113
 Stichter W, 81
 Stillier RL, 228
 Stockenhuber F, 596
 Stone RA, 1
 Strain JJ, 59

- Stroumza P, 726
 Stuart CA, 509
 Stubbe N, 909
 Subar AF, 361
 Sugarman JR, 960
 Sulaiman Z, 1068
 Sulkers EJ, 889
 Sundaresan PR, 183
 Swanson CA, 858
 Swift LL, 834
 Sytkowski AJ, 155

 Tahara Y, 689
 Takala JA, 746
 Takyi Y, 651
 Tanchoco CC, 694
 Tangco JBM, 694
 Tanumihardjo SA, 1064, 1068
 Tarter RE, 383
 Taylor GP, 572
 Taylor PR, 858
 Teo TC, 548
 Teppo L, 903
 Tesar R, 872
 Tham RTOTA, 553
 Thilly CH, 1087
 Thomasset A-L, 581
 Thorbek G, 777
 Thorp FK, 401
 Thorpe R, 1087
 Thuillier F, 1094
 Tian J, 1027
 Tietzen J, 495
 Tinggi U, 159
 Tominac C, 878
 Torres N, 313
 Traianedes K, 442, 491
 Trautwein EA, 758
 Tritchler D, 470

 Troko DM, 651
 Truswell AS, 825
 Trygg K, 300
 Tserng K-Y, 923
 Tsunehara CH, 731
 Tucker DM, 93
 Turnbull WH, 646
 Turnlund JR, 373
 Tuschl RJ, 81

 Uauy R, 938, 1037
 Udomkesmalee E, 564
 Underwood LE, 431
 Uusitalo UM, 746

 van Beresteijn ECH, 142
 van Beusekom CM, 326
 Vanderpas JB, 1087
 Van Itallie TB, 263, 953
 Van Loan MD, 586
 van Raaij JMA, 234
 VanReken DE, 651
 van Schaik M, 142
 Van Thiel DH, 383
 Vaughan JP, 391
 Veillon C, 155, 621, 858
 Vermaat-Miedema SH, 234
 Victora CG, 391
 Vinton NE, 846, 895
 Vivian VM, 477
 Vorster HH, 178

 Wagner DA, 307
 Wakelin D, 166, 173
 Wald NJ, 457
 Walker ARP, 178
 Walker BF, 178
 Wallace J, 426
 Wang J, 52, 214, 981

 Ward LM, 1113
 Warty V, 383
 Weinsier RL, 401, 568
 Welle S, 1134
 Wenxun F, 1027
 West DW, 752
 Westphal SA, 267
 White LL, 960
 Wild G, 39
 Wilhelm B, 628
 Wilkening VL, 183
 Willett WC, 858, 916
 Wilmore DW, 1101
 Wilson HD, 867
 Winograd CH, 967
 Winther E, 515
 Wolfe RR, 509
 Wolfsdorf JJ, 1043, 1051
 Wong LTK, 572
 Wylie-Rosett J, 519
 Wynder EL, 933

 Yamamoto Y, 689
 Yamato E, 689
 Yang M-U, 263, 953, 981
 Yetley EA, 353
 Yhoung-Aree J, 564
 Yinsheng Q, 1027
 Yoneda H, 689
 Young SK, 502
 Young VR, 307, 524
 Yuniar Y, 1068

 Zallen DT, 944
 Zeisel SH, 548
 Ziegler EE, 335
 Ziegler TR, 1101
 Zillikens MC, 45
 Zsigmond E, 110, 289

